

About Us

integrate the strategic objectives in their management and production systems in a transverse manner, so that the implementation of processes that are respectful towards the environment are not limited to specific actions, but instead from a part of its know how as a whole.

objective is to offer personalized and customized solutions for architecture and interior design through pieces which work as a complement for coverings and floorings With high levels of aesthetic value, the ceramic pieces we manufacture achieve in adding extra value to projects thanks not only to their finishes, but also to their suitable adaptability with the rest of the elements

This reflects in this catalogue which we have created with utmost creativity. The catalogue is one of the principal tools that still nowadays keep together the relationship between firms resellers and consumers.


Once again following its own style. translates the trends and the innovations of the ceramic sector in something captivating and usable for the everyday design.


Various Size of Tiles

Tiles come in a variety of sizes, and the right size for a particular space depends on a few factors, such as the size of the room, the intended use of the space, and personal preference.

The fabulous designs from our different collections will be a treat to your eyes and will add value to your luxury lifestyle.

It's important to consider the scale of the room and the tile pattern when choosing tile size. For example, larger tiles can make a small room appear larger, while smaller tiles can create a more intricate pattern or texture. Ultimately, the choice of tile size depends on personal preference and the desired aesthetic for the space.





Brand Introduction

The brand was launched as a high-end compact surface with revolutionary physical and technical features. uses the best natural raw materials with state-of-the-art technology to create the best surfaces with luxurious designs.

QUALITY
CERTIFICATES




Architecture

CHOICE

Surfaces for Everybody

Tiles have a wide range of practical and decorative uses in architecture and design. They are commonly used as a flooring material, providing a durable and easy-to-clean surface for high traffic areas such as kitchens, bathrooms, and entryways. Tiles can also be used as wall coverings, creating decorative accents and adding texture to a room. They can be used to create intricate mosaic patterns, decorative murals, or even as a backdrop for artwork. In addition, tiles are often used in exterior applications, such as roofing or cladding, where their durability and weather resistance make them an ideal choice. With their versatility and range of materials, tiles continue to be a popular and practical choice in modern design.



600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7001



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7002




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7003




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7004




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7005



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7006



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7007



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7008



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7009



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7010



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7011



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7012




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7013



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7014




PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7015



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7016



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7017



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7018



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7019



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7020



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7021




PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7022



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7023



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7024



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7025



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7026



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7027




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7028



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7029



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7030



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7031



Endless

PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7032



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7033



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7034



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7035



Endless


PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7036




PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7037




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7038



Endless


PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7039



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7040



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7041



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7042



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7043



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7044



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7045



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7046



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7047



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7048




PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7049



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7050



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7051



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7052



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7053



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7054



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7055



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7056



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7057



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7058



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7059



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7060



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7061



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7062



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7063



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7064



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7065



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7066



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7067



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7068



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7069



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7070



Endless


PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7071



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7072



PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7073



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7074



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7075



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7076



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7077



Endless

PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7078



Endless

PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7079



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7080



PREVIEW

600X
600MM

Glossy Finish



SWORD[®]
C E R A M I C



7081




PREVIEW

600X
600MM


Glossy Finish



SWORD[®]
C E R A M I C



7082



PREVIEW

TECHNICAL SPECIFICATION 600x600MM

| S.No | Technical Characteristics | * IS 15622:2017, *EN 14411:2016 & ISO 13006:2018 | Tile's Specification | Test method |
|------|---|--|--|--------------------------------|
| 1. | Deviation in length & width | ± 0.1 % ± 0.6 %/ ± 0.3 % | ± 0.10 % | IS 13630-1 EN ISO 10545-2 |
| 2. | Deviation in thickness | ± 5.0 % | ± 5.00 % | IS 13630-1 EN ISO 10545-2 |
| 3. | Deviation in Straightness of sides | ± 0.1 % ± 0.5 %/± 0.3 % | ± 0.10 % | IS 13630-1 EN ISO 10545-2 |
| 4. | Deviation in Rectangularity | ± 0.1 % ± 0.5 %/± 0.3 % | ± 0.10 % | IS 13630-1 EN ISO 10545-2 |
| 5. | Deviation in Surface Flatness | ± 0.5 % ± 0.5 %/± 0.4 % | ± 0.15 % | IS 13630-1 EN ISO 10545-2 |
| 6. | Surface quality | 95% of the tiles shall be free from visible defects | 95% of the tiles shall be free from visible defects | IS 13630-1 EN ISO 10545-2 |
| 7. | Modulus of rupture | Avg. 35 N/mm ² , individual Min 32 N/mm ² | ≥ 40 N/mm ² | IS 13630-6 / EN ISO 10545-4 |
| 8. | Breaking strength | Minimum 1300 N | ≥ 2000 N | IS 13630-6 / EN ISO 10545-4 |
| 9. | Bulk Density | Minimum 2.20 g/cc | ≥ 2.25 g/cc | IS 13630-2 |
| 10. | Glossiness | Manufacture to state the class | Min 5 for Rustic/Matt/Satin Finish Min 90 for Polish Finish | Glossimeter 60 degrees |
| 11. | Water Absorption | ≤ 0.08 %, Individual Max 0.1% ≤ 0.5 %, Individual Max. 0.6 % | Max 2 & 3 % | IS 13630-2 / EN ISO 10545-3 |
| 12. | Resistance to surface abrasion of Glazed tiles | Minimum Class II Report abrasion class and cycles passed | PEI-Class III to Class IV | IS 13630-11 EN ISO 10545-7 |
| 13. | Thermal expansion from ambient temperature to 100 ° C | Test method available | 6x10 ⁻⁶ K ⁻¹ Maximum | IS 13630-4 EN ISO 10545-8 |
| 14. | Thermal shock resistance | 10 cycles Minimum Test method available | 10 cycles Minimum | IS 13630-5 EN ISO 10545-9 |
| 15. | Moisture expansion | Maximum 0.02 Millimeter/Metre Test method available | Nil | IS 13630-3 EN ISO 10545-10 |
| 16. | Crazing resistance (Glazed Tiles) | Passes 4 cycles at 7.5 kg/cm ² Required | Passes 4 cycles at 7.5 kg/cm ² | IS 13630-9 EN ISO 10545-11 |
| 17. | Frost resistance | Required | 100 cycles Minimum | IS 13630-10 EN ISO 10545-12 |
| 18. | Resistance to Household Chemicals & Swimming Pool Salts # | Minimum Class AA Minimum GB | Minimum Class AA Minimum GB | IS 13630-8 EN ISO 10545-13 |
| 19. | Resistance to low & high concentration of acids & alkalis # | Manufacturer to state classification | Minimum Class AA Minimum GLB,GHB | IS 13630-8 EN ISO 10545-13 |
| 20. | Stain resistance** | Minimum Class 1 Minimum Class 3 | Minimum Class 1 Minimum Class 3 | IS 13630-8 EN ISO 10545-14 |
| 21. | Slipperiness | Test method available | ≥ R-10 for Rustic/Matt/Satin Finish ≥ R-9 for Polish Finish | DIN 51130:2014 |
| 22. | Co-efficient of friction | Manufacture to state the class | ≥ 0.32 for Rustic/Matt/Satin Finish > 0.20 for Polish Finish | ISO 10545-17 |
| 23. | Scratch hardness of surface(Moh's scale) | Minimum 5 Test method available | Min 6 for Rustic/Matt/Satin Finish Min 5 for Polish/Marbletech Finish | IS 13630-13 EN 101 |
| 24. | Impact Resistance | Minimum 0.55 Test method available | Min 0.55 & No identification of cracking | IS 13630-14 EN ISO 10545-5 |